Application for registration of registrable plant design



Workplace Health and Safety Act 10

divided about the construction of the construction of the			Norkplace Health and Safety Act 1			
Applicant's details	Read notes/directions prior t	to completion of this form — PLEASE PR	0 82806			
1 Name of applicant	All Crane & Ho	oist Consulting &	ABN 45007377442			
2 Address of applicant		11 Machinery Street				
	Darra Queens					
3 Mailing address of applica	nt 11 Machinery S	Street Darra Old	, *************************************			
		Postcode				
Contact person		Geoff Williams Email allcrane@bigpond.com				
, manager	Phone () 0412	547 211 Fax (07)	3375 4377			
5 Are you:	Designer Manufactur	er 🗌				
	Other (give details) Consultant to Manufacturer					
Plant details						
6 Manufacturer (If known)						
1	Genie Indu:	stries				
7 Description of plant	Aerial Worl	k Platform				
8 Model/type	AWP25S DC AU2	9 Rated capacity	159Kg			
Designed to standard	AS1418-10 2011	as Drawing/s no.	SK0258			
12 Location	Unknown	13 Change to design (Insert original I	Plant N/A			
14a Cranes	Trade name	Load chart no.	No. of posts			
	Span (m)	Wheel track centres (m)	Max height			
	No. of towers	No. of ties				
14b Work boxes	Length x width (m)	Tare mass (kg)	Safe Working Load (kg)			
14C Lift, escalators	No. of floors	Angle of Inclination	Speed			
	Electric or Hydraulic					
14d Prefabricated scaffolding	Max height (m)	Outy (Light/Medium/Heavy)	Material (Steel/Aluminium)			
14e Specified amusement device	Intrinsic safety secured Y / N	Fixed or mobile	Class of ride			
14f Pressure equipment	Rating (kW)	Vuturne (m³)	Hazard level			
Anathrasia	Design Pressure (kPa or mPa)	Design temp.	Test Pressure (kPa or mPa)			
Applicant's statement The design verifier for this registrable plant design application was not involved in any part of the design. (See 16 — Statement by design verifier)						
Applicant's signature		William Date	17 / 6 / 2011			



NOTICE OF PLANT DESIGN REGISTRATION

Plant Type Hoist with Platform movement in excess of 2.4 metres

and designed to lift people

Representational Drawing(s)

SK0258

Design Description and Extent

Model: AWP 25S DC AU.2.

Technical Information

Type: Aerial Platform, Max. SWL 159 kg, Max. Working

Height 9.4 m, Max. Free standing Height 7.6 m.

Power Source: DC 12V

Maker

Genie Industries

Confirmation Number

V1102464

Date of Confirmation

0 5 JUL 2011

Published technical standards or engineering principles

AS1418 - 10 2011: Mobile Elevating Work Platforms

(as listed by designer and confirmed by design

verifier)

IMPORTANT INFORMATION

- 1. This notice applies only to the above design, which has been registered according to the above-named Regulations. The Authority has not verified that the designer has complied with the design obligations prescribed by the Regulations or the above mentioned technical standards or engineering principles.
- 2. The plant owner will require this confirmation and, therefore, a copy of it should be supplied to the manufacturer, so that it can in turn be provided to the supplier and owner with the plant or equipment.
- 3. The Regulations require the designer to keep and maintain, in a suitable state for examination, all records that the Regulations require for 10 years.
- 4. The Authority reserves the right to audit the registered design at any time to assess compliance with the above Acts and Regulations. If an audit is undertaken, the Authority may ask the person seeking registration or the plant owner or both to supply detailed information relating to the design of the plant. Design systems of work and documentation may also be audited. If an audit identifies noncompliance with the Acts and Regulations, all plant built to that design may require modifications and may be prohibited from use.
- 5. This notice is automatically invalidated if the design is altered to an extent that requires new measures to control risk. A person must not use, or cause or allow plant manufactured to the altered design to be used at a workplace unless the Authority has confirmed registration of the alteration.
- 6. You should quote the registration number in all correspondence to the Authority regarding this design. Any queries should be addressed to the Authority's Licensing Branch, 1300 852 562.
- 7. This notice will also be considered a notice of Plant Design Registration under the Equipment (Public Safety) Regulations 2007.

Leanne Harwood Licensing Manager Occupational Health, Safety and Welfare Act.

REGISTRATION OF PLANT DESIGN FOR A HOIST TO LIFT PEOPLE

ACH Consulting & Inspection Services Ptv Ltd

All Crane & Hoist Consultants & Inspection



Client No: 22215

Services

41 North Road

AUSTRALIA

BRIGHTON VIC 3186

Printed:

05/08/2011

ABN 50 560 588 327

Contact details

Licensing Clerk Address:

Level 4 Building A

33 Richmond Road **KESWICK SA 5035**

GPO Box 465 ADELAIDE SA 5001

Phone:

Postal:

1300 365 255

Fax:

+61 8 8303 0411

Website:

www.safework.sa.gov.au

DETAILS OF REGISTERED DESIGN

Site Address:

41 North Road

BRIGHTON VIC 3186

AUSTRALIA

Design Registration Number:

SD-20111873-1

Issued:

29 July 2011

Description:

AERIAL WORK PLATFORM (25S DC AU.2)

Design Drawing Numbers:

SK0258 (Rev-)

Designer:

GENIE INDUSTRIES (USA)

Design Code:

AS1418.10-2011

Design Criteria:

Platform Capacity 159 kg

Platform Height (max) 7.6 m (from ground to underside of basket)

Horizontal Reach (max) n/a Application Level Ground Basket Levelling n/a

Hazard Level:

This is to certify that the design of the item of plant described has been registered pursuant to the Occupational Health Safety and Welfare Regulations 2010 and the National Occupational Health and Safety Standard for Plant. If this registered design is altered, it must be re-submitted for re-registration within 21 days or this registration will lapse. The Registered design number must be provided to any manufacturer, importer or supplier of the plant. The Design Registration Number: SD-20111873-1 must be permanently marked on the plant. Non compliance with the regulations may incur a penalty.

Delegate of Director

SafeWork SA, Department of Premier and Cabinet





CERTIFICATE OF PLANT DESIGN REGISTRATION

Occupational Health & Safety Act 2000 Occupational Health & Safety Regulation 2001

ABN: 77 682 742 966 Phone: (02) 4321 5498

Fax: (02) 4325 5094

Registration No: HST 6-150670/11 ABN: 45007377442

VIC.

Issue Date: 26/08/2011

Controller:

A.C.H. CONSULTING & INSPECTION SERVICES PTY. LTD.

Postal

41 NORTH RD

Address:

BRIGHTON

3186

Plant Type:

Hoist Original

Model Number/ Trade Name: AWP25S DC AU 2

Design Description:

Hoist Type

Hoists With Platform Movement > 2.4 m

Max Standing Height (m) Max Working Height (m)

7.6000 9.4000

Max Rated Capacity (t)

0.1590

Drawing Number Design

GENERAL ARRANGEMENT AWP-20/25/30/36/40S DC AU2

CONDITIONS:

- This registration applies only to the design described above which has been notified to WorkCover NSW in accordance with the OHS Regulation
- The plant owner will require a copy of this certificate. A copy of the certificate must therefore be supplied to the manufacturer so that it can, in turn, be provided to the supplier and owner with the item of plant or equipment.
- WorkCover NSW reserves the right to audit the registered design at any time to assess compliance with its Acts and Regulations. If an audit is undertaken, detailed information may be requested relating to the design of the plant. Design systems of work and documentation may also be audited. If an audit identifies non-compliance, all plant bullt to that design may require modifications, and in some cases, may be prohibited from use. This Registration is automatically invalidated if the design is altered to an extent that requires new measures to control risks. A person must not use, or cause or allow plant manufactured to the original design to be used at a workplace unless notification of the alteration, or the prescribed form, has
- been confirmed by WorkCover NSW
- The Registration Number should be quoted in all correspondence to WorkCover regarding this item. Any queries should be addressed to WorkCover's Licensing Unit.

Fee Paid: \$ 65.00

Receipt No: 30-5936

DESIGN REGISTRATION

REGISTERED IN THE NORTHERN TERRITORY OF AUSTRALIA

Applicant The Manager ALL CRANE & HOIST CONSULT & INSPECTION SER 41 NORTH ROAD BRIGHTON VIC 3188 BRIGHTON VIC 3188 Reference GEOFF WILLIAMS 03 0395961576 Description ARERIAL WORK PLATFORM Model/Type AWP-25S DC AU 2 Design code AS1418 Asximum allowable capacity 159 kg m 10-2011 Load rating chart number(s) Span of bridge section Type of bridge section Type of bridge section Type of bridge section Models Bright and Safety Regulation 88(1)(b) on a reciprocal bases from: New South Wales-HST 6-150670/11 South Austrial as Do-20111873-1 Victoria – V1102464 With additional design information: Max Standing Height 7-6M This Design Registration is also granted based on the supplied Statement of Design Verification signed by Donald Charles Nicholis dated 20 September 2011, drawing number SK0258 and Operation Manual AWP-25S DC AU.2 (fourth edition) issued by Genie Australia Pty Ltd. N 8017 Workplace Health and Safety Regulations 88, 89, 90, 91, 92. N 8017 The above mentioned design has been assigned design=registration number:	CRANES AND HOISTS			Registration number		
The Manager ALL CRANE & HOIST CONSULT & INSPECTION SER 41 NORTH ROAD BRIGHTON VIC 3186 Reference Telephone GEOFF WILLIAMS 03 0395981578 Description AERIAL WORK PLATFORM Model/Type AVMP-265 DC AU.2 Design code AS1418 Maximum allowable capacity at working radius and boom length m 159 kg m 100 Load rating chart number(s) Span of bridge section Type of bridge section Hoist details Maximum allowable aspacity at working radius and boom length m Remarks References Ref				N 8017		
ALL CRANE & HOIST CONSULT & INSPECTION SER 41 NORTH ROAD BRIGHTON VIC 3188 Reference CEOFF WILLIAMS Description Description Description ASTAILA Description Model/Type AWP-25S DC AU.2 Design code ASTAIL8 Maximum allowable capacity 159 kg m m model consults and boom length m 10-2011 Load rating chart number(s) Span of bridge section Type of bridge section Type of bridge section Model-Company Model-Co	1		Manufacturer			
Reference GEOFF WILLIAMS Telephone GEOFF WILLIAMS Telephone GEOFF WILLIAMS To 3 0395961576 Description AERIAL WORK PLATFORM Model/Type AWP-25S DC AU 2 Design code AS1418 Maximum allowable capacity 159 kg m 10-2011 Load rating chart number(s) Span of bridge section Type o	ALL CRANE & HOIST CONSUL	T & INSPECTION SER	GENIE AUSTRALIA			
Reference GEOFF WILLIAMS Telephone O3 0395961576 Reference GEOFF WILLIAMS Description Acet Act ALL WORK PLATFORM Model/Type ANP-255 DC AU.2 Design code AS1418 Maximum allowable capacity 159 kg m working radius Maximum allowable capacity 159 kg m Model act and the supplied Statement of Design Verification is granted under the NT Workplace Health and Safety Regulation 88(1)(b) on a reciprocal bases from: New South Wales - HST 6-150670/11 South Australia - SD-20111373-1 Victoria - V1102464 With additional design information: Max Standing Height 7.6M This Design Registration is also granted based on the supplied Statement of Design Verification signed by Donald Charles Nicholts dated 20 September 2011, drawing number SK0258 and Operation Manual AWP-25S DC AU.2 (fourth edition) issued by Genie Australia Pty Ltd. Workplace Health and Safety Regulations 88, 89, 90, 91, 92. N 8017 The above mentioned design has been assigned design-registration number: Director	41 NORTH ROAD					
Reference GEOFF WILLIAMS O3 0395961576 Description AERIAL WORK PLATFORM Design code AS1418 Maximum allowable capacity 159 kg m of bridge section Type of bridge section Total bridge the section Total bridge the section Type of bridge section Total bridge the section Type of bridge section Type			Location			
GEOFF WILLIAMS 03 0395961576 GEOFF WILLIAMS 03 0395961576 Description AERIAL WORK PLATFORM Model/Type AWP-25S DC AU.2 Design code AS1418 Maximum allowable capacity 159 kg Model and boom length Type of bridge section Type of bridge s	BRIGHTON VIC 3186		BRIGHTON			
Description AERIAL WORK PLATFORM Description ARIA Drawing number(s) Rev. Drawing number(s) Rev.	Reference	Telephone	Reference	Telephone		
AERIAL WORK PLATFORM Model/Type AWP-25S DC AU.2 Design code AS1418 Maximum allowable capacity 159 kg m m m Load rating chart number(s) Span of bridge section Type of bridge secti	GEOFF WILLIAMS	03 0395961576	GEOFF WILLIAMS			
AERIAL WORK PLATFORM Model/Type AWP-25S DC AU.2 Design code AS1418 Maximum allowable capacity 159 kg m m m Load rating chart number(s) Span of bridge section Type of bridge secti						
Model/Type AWP-25S DC AU.2 Design code AS1418 Maximum allowable capacity 159 kg at working radius and boom length m m m Load rating chart number(s) Span of bridge section Type of bridge section Type of bridge section Type of bridge section Move South Wales- HST 6-150670/11 South Australia — SD-20111873-1 Victoria — V1102464 With additional design information: Max Standing Height 7.6M This Design Registration is also granted based on the supplied Statement of Design Verification signed by Donald Charles Nicholls dated 20 September 2011, drawing number SK0258 and Operation Manual AWP-25S DC AU.2 (fourth edition) issued by Genie Australia Ply Ltd. Workplace Health and Safety Regulations 88, 89, 90, 91, 92. N 8017 The above mentioned design has been assigned design-registration number:		,	, ,	ev. Drawing number(s) Rev.		
Design code AS1418 Maximum allowable capacity 159 kg 159 k	ALMAL WORK FLATFORM		SK0258 0			
Design code AS1418 Maximum allowable capacity 159 kg at working radius 10-2011 Indeed rating chart number(s) Span of bridge section Type of bridge section Remarks Design Registration is granted under the NT Workplace Health and Safety Regulation 88(1)(b) on a reciprocal bases from: New South Wales-HST 6-150670/11 South Australia – SD-20111873-1 Victoria – V1102464 With additional design information: Max Standing Height 7.6M This Design Registration is also granted based on the supplied Statement of Design Verification signed by Donald Charles Nicholls dated 20 September 2011, drawing number SK0258 and Operation Manual AWP-25S DC AU.2 (fourth edition) issued by Genie Australia Pty Ltd. Workplace Health and Safety Regulations 88, 89, 90, 91, 92. N 8017 The above mentioned design has been assigned design-registration number: Director	Model/Type					
Maximum allowable capacity 159 kg m m m Load rating chart number(s) Span of bridge section Type of bridge section Type of bridge section Type of bridge section Type of bridge section Remarks Design Registration is granted under the NT Workplace Health and Safety Regulation 88(1)(b) on a reciprocal bases from: New South Wales- HST 6-150670/11 South Australia – SD-20111873-1 Victoria – V1102464 With additional design information: Max Standing Height 7.6M This Design Registration is also granted based on the supplied Statement of Design Verification signed by Donald Charles Nicholls dated 20 September 2011, drawing number SK0258 and Operation Manual AWP-25S DC AU.2 (fourth edition) issued by Genie Australia Pty Ltd. Workplace Health and Safety Regulations 88, 89, 90, 91, 92. N 8017 The above mentioned design has been assigned design-registration number: Director	AWP-25S DC AU.2					
Maximum allowable capacity 159 kg m m m Load rating chart number(s) Span of bridge section Type of bridge section Type of bridge section Type of bridge section Type of bridge section Remarks Design Registration is granted under the NT Workplace Health and Safety Regulation 88(1)(b) on a reciprocal bases from: New South Wales- HST 6-150670/11 South Australia – SD-20111873-1 Victoria – V1102464 With additional design information: Max Standing Height 7.6M This Design Registration is also granted based on the supplied Statement of Design Verification signed by Donald Charles Nicholls dated 20 September 2011, drawing number SK0258 and Operation Manual AWP-25S DC AU.2 (fourth edition) issued by Genie Australia Pty Ltd. Workplace Health and Safety Regulations 88, 89, 90, 91, 92. N 8017 The above mentioned design has been assigned design-registration number: Director						
Maximum allowable capacity 159 kg Type of bridge section Remarks Design Registration is granted under the NT Workplace Health and Safety Regulation 88(1)(b) on a reciprocal bases from: New South Wales- HST 6-150670/11 South Australia – SD-20111873-1 Victoria – V1102464 With additional design information: Max Standing Height 7.6M This Design Registration is also granted based on the supplied Statement of Design Verification signed by Donald Charles Nicholls dated 20 September 2011, drawing number SK0258 and Operation Manual AWP-25S DC AU.2 (fourth edition) issued by Genie Australia Pty Ltd. Workplace Health and Safety Regulations 88, 89, 90, 91, 92. N 8017 The above mentioned design has been assigned design-registration number:	-		Classifi			
Load rating chart number(s) Span of bridge section Type of bridge section Hoist details Remarks Design Registration is granted under the NT Workplace Health and Safety Regulation 88(1)(b) on a reciprocal bases from: New South Wales- HST 6-150670/11 South Australia – SD-20111873-1 Victoria – V1102464 With additional design information: Max Standing Height 7.6M This Design Registration is also granted based on the supplied Statement of Design Verification signed by Donald Charles Nicholls dated 20 September 2011, drawing number SK0258 and Operation Manual AWP-25S DC AU.2 (fourth edition) issued by Genie Australia Pty Ltd. Workplace Health and Safety Regulations 88, 89, 90, 91, 92. N 8017 The above mentioned design has been assigned design-registration number:		at working radius	and boo			
Span of bridge section Type of bridge section Type of bridge section Type of bridge section Remarks Design Registration is granted under the NT Workplace Health and Safety Regulation 88(1)(b) on a reciprocal bases from: New South Wales- HST 6-150670/11 South Australia – SD-20111873-1 Victoria – V1102464 With additional design information: Max Standing Height 7.6M This Design Registration is also granted based on the supplied Statement of Design Verification signed by Donald Charles Nicholls dated 20 September 2011, drawing number SK0258 and Operation Manual AWP-25S DC AU.2 (fourth edition) issued by Genie Australia Pty Ltd. Workplace Health and Safety Regulations 88, 89, 90, 91, 92. N 8017 The above mentioned design has been assigned design-registration number:		kg	m	m		
Remarks Design Registration is granted under the NT Workplace Health and Safety Regulation 88(1)(b) on a reciprocal bases from: New South Wales- HST 6-150670/11 South Australia – SD-20111873-1 Victoria – V1102464 With additional design information: Max Standing Height 7.6M This Design Registration is also granted based on the supplied Statement of Design Verification signed by Donald Charles Nicholls dated 20 September 2011, drawing number SK0258 and Operation Manual AWP-25S DC AU.2 (fourth edition) issued by Genie Australia Pty Ltd. Workplace Health and Safety Regulations 88, 89, 90, 91, 92. Workplace Health and Safety Regulations 88, 89, 90, 91, 92. N 8017 The above mentioned design has been assigned design registration number:	Load rating chart number(s)					
Remarks Design Registration is granted under the NT Workplace Health and Safety Regulation 88(1)(b) on a reciprocal bases from: New South Wales- HST 6-150670/11 South Australia – SD-20111873-1 Victoria – V1102464 With additional design information: Max Standing Height 7.6M This Design Registration is also granted based on the supplied Statement of Design Verification signed by Donald Charles Nicholls dated 20 September 2011, drawing number SK0258 and Operation Manual AWP-25S DC AU.2 (fourth edition) issued by Genie Australia Pty Ltd. Workplace Health and Safety Regulations 88, 89, 90, 91, 92. N 8017 The above mentioned design has been assigned design registration number:	Span of bridge section	Type of bridge section	Hoist de	etails		
Design Registration is granted under the NT Workplace Health and Safety Regulation 88(1)(b) on a reciprocal bases from: New South Wales- HST 6-150670/11 South Australia - SD-20111873-1 Victoria - V1102464 With additional design information: Max Standing Height 7.6M This Design Registration is also granted based on the supplied Statement of Design Verification signed by Donald Charles Nicholls dated 20 September 2011, drawing number SK0258 and Operation Manual AWP-25S DC AU.2 (fourth edition) issued by Genie Australia Pty Ltd. Workplace Health and Safety Regulations 88, 89, 90, 91, 92. N 8017 The above mentioned design has been assigned design-registration number:		m				
Design Registration is granted under the NT Workplace Health and Safety Regulation 88(1)(b) on a reciprocal bases from: New South Wales- HST 6-150670/11 South Australia - SD-20111873-1 Victoria - V1102464 With additional design information: Max Standing Height 7.6M This Design Registration is also granted based on the supplied Statement of Design Verification signed by Donald Charles Nicholls dated 20 September 2011, drawing number SK0258 and Operation Manual AWP-25S DC AU.2 (fourth edition) issued by Genie Australia Pty Ltd. Workplace Health and Safety Regulations 88, 89, 90, 91, 92. N 8017 The above mentioned design has been assigned design-registration number:	D1					
Nicholls dated 20 September 2011, drawing number SK0258 and Operation Manual AWP-25S DC AU.2 (fourth edition) issued by Genie Australia Pty Ltd. Workplace Health and Safety Regulations 88, 89, 90, 91, 92. The above mentioned design has been assigned design registration number: Director	New South Wales- HST 6-150670 South Australia – SD-20111873-1 Victoria – V1102464	0/11	and Safety Regulation 88(1)(b) o	on a reciprocal bases from:		
The above mentioned design has been assigned design registration number: Director	This Design Registration is also granted based on the supplied Statement of Design Verification signed by Donald Charles Nicholls dated 20 September 2011, drawing number SK0258 and Operation Manual AWP-25S DC AU.2 (fourth edition) issued by Genie Australia Pty Ltd.					
The above mentioned design has been assigned design registration number: Director						
The above mentioned design has been assigned design registration number: Director						
The above mentioned design has been assigned design registration number: Director						
The above mentioned design has been assigned design registration number: Director						
The above mentioned design has been assigned design registration number: Director						
The above mentioned design has been assigned design registration number: Director						
The above mentioned design has been assigned design registration number: Director	Workplace Health and Safety	Regulations 88 89 90 91	92	N 8017		
Director				14 0017		
VI WORKSate Date: Date:	Director		~?~	-10-11		
	INI WORKSate C		Date:	10 11		

Northern Territory Government NT WorkSafe

GPO Box 1722 Darwin 0801 — Telephone: 1800 019 115 Facsimile: (08) 8999 5141

